



iLINQ Bayable Enclosure System

Index

[Leaflet](#)

Web Links

[iLINQ Information Page](#)

[Ask a question / Send us an enquiry](#)

[Information about B&R](#)

[Local Sales Team Phone Numbers](#)

Single Door Bayable Enclosure



OVERVIEW

The iLINQ enclosure system is an Australian designed and manufactured, high quality, modular, bayable enclosure system, that is extremely versatile and easy-to-install.

iLINQ single door enclosures feature a unique symmetrical rail profile that allows cladding components to be interchangeable. The enclosures can be bayed with any combination of single or double door enclosure widths.

APPLICATION

The iLINQ enclosure system has been developed in conjunction with a wide variety of industry experts to ensure it suits a wide variety of industry specifications and applications including Industrial Automation, 19" Racking, Networking Infrastructure and Telecommunications.

MATERIALS

Frame: 1.5mm galvanised steel
 Cladding: 1.6mm zinc coated steel
 Gasket: FIP polyurethane
 Finish: Powdercoated RAL7035

FEATURES

- IP55 protection rating
- Galvanised roll formed profile
- Stainless steel hinge pins
- Symmetrical frame
- Patented plinth system (optional)
- Front access M6 & M8 cage nuts in frame



Catalogue No.	Dimensions (mm)			Usable Depth (mm)
	Height	Width	Depth	
LQE180404 [▲]	1804	400	408	310
LQE180604 [▲]	1804	600	408	310
LQE180804 [▲]	1804	800	408	310
LQE180406 [▲]	1804	400	608	510
LQE180606 [▲]	1804	600	608	510
LQE180806 [▲]	1804	800	608	510
LQE180408 [▲]	1804	400	808	710
LQE180608 [▲]	1804	600	808	710
LQE180808 [▲]	1804	800	808	710
LQE200404 [▲]	2004	400	408	310
LQE200604 [▲]	2004	600	408	310
LQE200804 [▲]	2004	800	408	310
LQE200406 [▲]	2004	400	608	510
LQE200606 [▲]	2004	600	608	510
LQE200806 [▲]	2004	800	608	510
LQE200408 [▲]	2004	400	808	710
LQE200608 [▲]	2004	600	808	710
LQE200808 [▲]	2004	800	808	710
LQE220404 [▲]	2204	400	408	310
LQE220604 [▲]	2204	600	408	310
LQE220804 [▲]	2204	800	408	310
LQE220406 [▲]	2204	400	608	510
LQE220606 [▲]	2204	600	608	510
LQE220806 [▲]	2204	800	608	510
LQE220408 [▲]	2204	400	808	710
LQE220608 [▲]	2204	600	808	710
LQE220808 [▲]	2204	800	808	710

[▲] Available on request

Accessories

Description	Catalogue No.	To suit frame (mm)
		Width
Door rail	LQRD04 [▲]	400
	LQRD05 [▲]	500
	LQRD06 [▲]	600
	LQRD08 [▲]	800

[▲] Available on request

Please Note: Not all accessories are listed. For more information on accessories available visit www.brenclosures.com.au/lqe.htm

INCLUSIONS

- Frame
- Rear fixed panel (screw on type)
- Flat top with four eye bolts
- Solid doors
- Quarter turn lock with a 7mm square insert
- Mounting pan – 3mm thick galvanised steel
- Fixed gland plates – 2 x 1.6mm thick galvanised steel



Other brands in the B&R Group:



Queensland P: +61 7 3714 1000
Townsville P: +61 7 4775 6255
Sydney P: +61 2 8867 7688
Newcastle P: +61 2 4961 4433
Victoria P: +61 3 8588 8400

South Australia P: +61 8 8417 6200
Western Australia P: +61 8 9248 9744
Tasmania P: +61 3 6331 5545
Northern Territory P: +61 8 8947 0870

Email sales@brenclosures.com.au
 Web www.brenclosures.com.au