



Lloyd's
Register

Type Approval Certificate Extension

This is to certify that Certificate No. 06/10007(E1) for the undernoted products is extended and renumbered as shown.

This certificate is issued to:

PRODUCER	B&R Enclosures Pty Ltd.
PLACE OF PRODUCTION	51 Stradbroke Street, Heathwood QLD 4110, Australia
DESCRIPTION	Enclosures suitable for housing electrical components
TYPE	Monarch IP Enclosures IP66, powder coated zinc steel, 316 grade stainless steel or aluminium, single door, for general purpose Universal NI Enclosures IP66, powder coated zinc steel, 316 grade stainless steel or painted ripple orange, single door, for general purpose Universal DD Enclosures IP55, powder coated zinc steel, 316 grade stainless steel or aluminium, double doors, for general purpose Connector TE Enclosures IP66, powder coated zinc steel, 316 grade stainless steel/stainless steel with mounting flange, single bolted cover, for general purpose Incline SR Enclosures IP66, 316 grade stainless steel or painted ripple ornage, sloping roof, single door, for mining and industrial use

Certificate No.	06/10007(E2)
Issue Date	14 April 2016
Expiry Date	13 April 2021
Sheet	1 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Pilbara SP Enclosures

IP66, zinc steel, 316 grade stainless steel or 316 grade stainless steel with ripple orange powder coat, sloping roof, single door, for mining and industrial use

BREX Enclosures

IP67, 316 grade stainless steel, single door, explosion protected enclosure for hazardous locations

ME Enclosures

IP66, powder coated zinc steel, single door, suitable for 1000v application, for mining and industrial use

Field FC Enclosure

IP66, powder coated zinc steel, 316 grade stainless steel or aluminium, front and rear door, for general purpose

Bowen BN Enclosure

IP66, 316 grade stainless steel, 40° degree sloping roof, single door, for mining and industrial use

Lambert LB Enclosure

IP66, 316 grade stainless steel, 30° degree sloping roof, single or double door, for mining and industrial use

Ausrack IP Enclosure

IP66, powder coated zinc steel, 316 grade stainless steel or aluminium, single door for general purpose

iLINQ Enclosure

IP55, powder coated zinc steel, galvanised coated frame

APPLICATION

Marine and offshore use

STANDARD

IEC60529-1989, AS1939-1990
AS2380.1-1989, AS2380.6-1988, AS/NZS61241.1.1:1999
AS2236-1994

DIMENSION

Monarch IP Enclosures
(powder coated zinc steel/316 grade stainless steel/aluminium)

Certificate No.

06/10007(E2)

Issue Date

14 April 2016

Expiry Date

13 April 2021

Sheet

2 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Model Number	Description	IP Rating
IP13132	Enclosure IP 270mm Series 400x400	66
IP21132	Enclosure IP 270mm Series 600x400	66
IP13212	Enclosure IP 270mm Series 400x600	66
IP21212	Enclosure IP 270mm Series 600x600	66
IP29212	Enclosure IP 270mm Series 800x600	66
IP37212	Enclosure IP 270mm Series 1000x600	66
IP45212	Enclosure IP 270mm Series 1200x600	66
IP21292	Enclosure IP 270mm Series 600x800	66
IP13214	Enclosure IP 400mm Series 400x600	66
IP21214	Enclosure IP 400mm Series 600x600	66
IP29214	Enclosure IP 400mm Series 800x600	66
IP45214	Enclosure IP 400mm Series 1200x600	66
IP61214	Enclosure IP 400mm Series 1600x600	66
IP69214	Enclosure IP 400mm Series 1800x600	66
IP77214	Enclosure IP 400mm Series 2000x600	66
IP25254	Enclosure IP 400mm Series 700x700	66
IP37254	Enclosure IP 400mm Series 1000x700	66
IP21294	Enclosure IP 400mm Series 600x800	66
IP29294	Enclosure IP 400mm Series 800x800	66
IP45294	Enclosure IP 400mm Series 1200x800	66
IP61294	Enclosure IP 400mm Series 1600x800	66
IP69294	Enclosure IP 400mm Series 1800x800	66
IP77294	Enclosure IP 400mm Series 2000x800	66
IP29215	Enclosure IP 500mm Series 800x600	66
IP45215	Enclosure IP 500mm Series 1200x600	66
IP61215	Enclosure IP 500mm Series 1600x600	66
IP69215	Enclosure IP 500mm Series 1800x600	66
IP77215	Enclosure IP 500mm Series 2000x600	66
IP21295	Enclosure IP 500mm Series 600x800	66
IP45295	Enclosure IP 500mm Series 1200x800	66
IP61295	Enclosure IP 500mm Series 1600x800	66
IP69295	Enclosure IP 500mm Series 1800x800	66
IP77295	Enclosure IP 500mm Series 2000x800	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 3 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



IP29216	Enclosure IP 600mm Series 800x600	66
IP45216	Enclosure IP 600mm Series 1200x600	66
IP61216	Enclosure IP 600mm Series 1600x600	66
IP77216	Enclosure IP 600mm Series 2000x600	66
IP77296	Enclosure IP 600mm Series 2000x800	66
IP09051/S	Enclosure IP S/S 175mm Series 300x200	66
IP13091/S	Enclosure IP S/S 175mm Series 400x300	66
IP13132/S	Enclosure IP S/S 270mm Series 400x400	66
IP21132/S	Enclosure IP S/S 270mm Series 600x400	66
IP13212/S	Enclosure IP S/S 270mm Series 400x600	66
IP21212/S	Enclosure IP S/S 270mm Series 600x600	66
IP29212/S	Enclosure IP S/S 270mm Series 800x600	66
IP37212/S	Enclosure IP S/S 270mm Series 1000x600	66
IP45212/S	Enclosure IP S/S 270mm Series 1200x600	66
IP21292/S	Enclosure IP S/S 270mm Series 600x800	66
IP13214/S	Enclosure IP S/S 400mm Series 400x600	66
IP21214/S	Enclosure IP S/S 400mm Series 600x600	66
IP29214/S	Enclosure IP S/S 400mm Series 800x600	66
IP45214/S	Enclosure IP S/S 400mm Series 1200x600	66
IP61214/S	Enclosure IP S/S 400mm Series 1600x600	66
IP69214/S	Enclosure IP S/S 400mm Series 1800x600	66
IP77214/S	Enclosure IP S/S 400mm Series 2000x600	66
IP25254/S	Enclosure IP S/S 400mm Series 700x700	66
IP37254/S	Enclosure IP S/S 400mm Series 1000x700	66
IP21294/S	Enclosure IP S/S 400mm Series 600x800	66
IP29294/S	Enclosure IP S/S 400mm Series 800x800	66
IP37294/S	Enclosure IP S/S 400mm Series 1000x800	66
IP45294/S	Enclosure IP S/S 400mm Series 1200x800	66
IP61294/S	Enclosure IP S/S 400mm Series 1600x800	66
IP69294/S	Enclosure IP S/S 400mm Series 1800x800	66
IP77294/S	Enclosure IP S/S 400mm Series 2000x800	66
IP29215/S	Enclosure IP S/S 500mm Series 800x600	66
IP45215/S	Enclosure IP S/S 500mm Series 1200x600	66
IP61215/S	Enclosure IP S/S 500mm Series 1600x600	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 4 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



IP69215/S	Enclosure IP S/S 500mm Series 1800x600	66
IP77215/S	Enclosure IP S/S 500mm Series 2000x600	66
IP21295/S	Enclosure IP S/S 500mm Series 600x800	66
IP45295/S	Enclosure IP S/S 500mm Series 1200x800	66
IP61295/S	Enclosure IP S/S 500mm Series 1600x800	66
IP69295/S	Enclosure IP S/S 500mm Series 1800x800	66
IP77295/S	Enclosure IP S/S 500mm Series 2000x800	66
IP29216/S	Enclosure IP S/S 600mm Series 800x600	66
IP45216/S	Enclosure IP S/S 600mm Series 1200x600	66
IP61216/S	Enclosure IP S/S 600mm Series 1600x600	66
IP77216/S	Enclosure IP S/S 600mm Series 2000x600	66
IP77296/S	Enclosure IP S/S 600mm Series 2000x800	66
IP13132/A	Enclosure IP Alum 272mm Series 407x407	66
IP21132/A	Enclosure IP Alum 272mm Series 607x407	66
IP13212/A	Enclosure IP Alum 272mm Series 407x607	66
IP21212/A	Enclosure IP Alum 272mm Series 607x607	66
IP29212/A	Enclosure IP Alum 272mm Series 807x607	66
IP37212/A	Enclosure IP Alum 272mm Series 1007x607	66
IP45212/A	Enclosure IP Alum 272mm Series 1207x607	66
IP21292/A	Enclosure IP Alum 272mm Series 607x807	66
IP13214/A	Enclosure IP Alum 402mm Series 407x607	66
IP21214/A	Enclosure IP Alum 402mm Series 607x607	66
IP29214/A	Enclosure IP Alum 402mm Series 807x607	66
IP45214/A	Enclosure IP Alum 402mm Series 1207x607	66
IP61214/A	Enclosure IP Alum 402mm Series 1607x607	66
IP69214/A	Enclosure IP Alum 402mm Series 1807x607	66
IP77214/A	Enclosure IP Alum 402mm Series 2007x607	66
IP25254/A	Enclosure IP Alum 402mm Series 707x707	66
IP37254/A	Enclosure IP Alum 402mm Series 1007x707	66
IP21294/A	Enclosure IP Alum 402mm Series 607x807	66
IP29294/A	Enclosure IP Alum 402mm Series 807x807	66
IP37294/A	Enclosure IP Alum 402mm Series 1007x807	66
IP45294/A	Enclosure IP Alum 402mm Series 1207x807	66
IP61294/A	Enclosure IP Alum 402mm Series 1607x807	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 5 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



IP69294/A	Enclosure IP Alum 402mm Series 1807x807	66
IP77294/A	Enclosure IP Alum 402mm Series 2007x807	66
IP29215/A	Enclosure IP Alum 502mm Series 807x607	66
IP45215/A	Enclosure IP Alum 502mm Series 1207x607	66
IP61215/A	Enclosure IP Alum 502mm Series 1607x607	66
IP69215/A	Enclosure IP Alum 502mm Series 1807x607	66
IP77215/A	Enclosure IP Alum 502mm Series 2007x807	66
IP21295/A	Enclosure IP Alum 502mm Series 607x807	66
IP45295/A	Enclosure IP Alum 502mm Series 1207x807	66
IP61295/A	Enclosure IP Alum 502mm Series 1607x807	66
IP69295/A	Enclosure IP Alum 502mm Series 1807x807	66
IP77295/A	Enclosure IP Alum 502mm Series 2007x807	66
IP29216/A	Enclosure IP Alum 602mm Series 807x607	66
IP45216/A	Enclosure IP Alum 602mm Series 1207x607	66
IP61216/A	Enclosure IP Alum 602mm Series 1607x607	66
IP77216/A	Enclosure IP Alum 602mm Series 2007x607	66
IP77296/A	Enclosure IP Alum 602mm Series 2007x807	66

Universal NI Enclosures
(powder coated zinc steel/316 grade stainless steel/painted ripple orange)

Model Number	Description	IP Rating
NI03021	Enclosure NI 150mm Series 300x200	66
NI03031	Enclosure NI 150mm Series 300x300	66
NI03041	Enclosure NI 150mm Series 300x400	66
NI03042	Enclosure NI 200mm Series 300x400	66
NI04032	Enclosure NI 200mm Series 400x300	66
NI04042	Enclosure NI 200mm Series 400x400	66
NI04043	Enclosure NI 300mm Series 400x400	66
NI04062	Enclosure NI 200mm Series 400x600	66
NI04063	Enclosure NI 300mm Series 400x600	66
NI05042	Enclosure NI 200mm Series 500x400	66
NI05052	Enclosure NI 200mm Series 500x500	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 6 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



NI06042	Enclosure NI 200mm Series 600x400	66
NI06043	Enclosure NI 300mm Series 600x400	66
NI06062	Enclosure NI 200mm Series 600x600	66
NI06063	Enclosure NI 300mm Series 600x600	66
NI08062	Enclosure NI 200mm Series 800x600	66
NI08063	Enclosure NI 300mm Series 800x600	66
NI08083	Enclosure NI 300mm Series 800x800	66
NI10062	Enclosure NI 200mm Series 1000x600	66
NI10063	Enclosure NI 300mm Series 1000x600	66
NI10083	Enclosure NI 300mm Series 1000x800	66
NI12083	Enclosure NI 300mm Series 1200x800	66
NI03021/RO	NI03021 Painted X15 Ripple Orange	66
NI03031/RO	NI03031 Painted X15 Ripple Orange	66
NI03041/RO	NI03041 Painted X15 Ripple Orange	66
NI03042/RO	NI03042 Painted X15 Ripple Orange	66
NI04032/RO	NI04032 Painted X15 Ripple Orange	66
NI04042/RO	NI04042 Painted X15 Ripple Orange	66
NI04043/RO	NI04043 Painted X15 Ripple Orange	66
NI04062/RO	NI04062 Painted X15 Ripple Orange	66
NI04063/RO	NI04063 Painted X15 Ripple Orange	66
NI05042/RO	NI05042 Painted X15 Ripple Orange	66
NI05052/RO	NI05052 Painted X15 Ripple Orange	66
NI06042/RO	NI06042 Painted X15 Ripple Orange	66
NI06043/RO	NI06043 Painted X15 Ripple Orange	66
NI06062/RO	NI06062 Painted X15 Ripple Orange	66
NI06063/RO	NI06063 Painted X15 Ripple Orange	66
NI08062/RO	NI08062 Painted X15 Ripple Orange	66
NI08063/RO	NI08063 Painted X15 Ripple Orange	66
NI08083/RO	NI08083 Painted X15 Ripple Orange	66
NI10062/RO	NI10062 Painted X15 Ripple Orange	66
NI10063/RO	NI10063 Painted X15 Ripple Orange	66
NI10083/RO	NI10083 Painted X15 Ripple Orange	66
NI12083/RO	NI12083 Painted X15 Ripple Orange	66
NI03021/S	Universal 300x200x150mm S/Steel Encl	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 7 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR021.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's
Register

NI03031/S	Universal 300x300x150mm S/Steel Encl	66
NI03041/S	Universal 300x400x150mm S/Steel Encl	66
NI03042/S	Universal 300x400x200mm S/Steel Encl	66
NI04031/S	Universal 400x300x150mm S/Steel Encl	66
NI04032/S	Universal 400x300x200mm S/Steel Encl	66
NI04042/S	Universal 400x400x200mm S/Steel Encl	66
NI05042/S	Universal 500x400x200mm S/Steel Encl	66
NI05052/S	Universal 500x500x200mm S/Steel Encl	66
NI06042/S	Universal 600x400x200mm S/Steel Encl	66
NI06043/S	Universal 600x400x300mm S/Steel Encl	66
NI06062/S	Universal 600x600x200mm S/Steel Encl	66
NI06063/S	Universal 600x600x300mm S/Steel Encl	66
NI08062/S	Universal 800x600x200mm S/Steel Encl	66
NI08063/S	Universal 800x600x300mm S/Steel Encl	66
NI08083/S	Universal 800x800x300mm S/Steel Encl	66
NI10063/S	Universal 1000x600x300mm S/Steel Encl	66
NI10082/S	Universal 1000x800x200mm S/Steel Encl	66
NI10083/S	Universal 1000x800x300mm S/Steel Encl	66
NI12083/S	Universal 1200x800x300mm S/Steel Encl	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 8 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031-1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Universal DD Enclosures
(powder coated zinc steel/316 grade stainless steel/aluminium)

Model Number	Description	IP Rating
DD10103	Enclosure Double Door NI 1000x1000x300	55
DD12103	Enclosure Double Door NI 1200x1000x300	55
DD12124	Enclosure Double Door NI 1200x1200x400	55
DD16104	Enclosure Double Door NI 1600x1000x400	55
DD18104	Enclosure Double Door NI 1800x1000x400	55
DD20104	Enclosure Double Door NI 2000x1000x400	55
DD16124	Enclosure Double Door NI 1600x1200x400	55
DD18124	Enclosure Double Door NI 1800x1200x400	55
DD20124	Enclosure Double Door NI 2000x1200x400	55
DD18125	Enclosure Double Door NI 1800x1200x500	55
DD20125	Enclosure Double Door NI 2000x1200x500	55
DD10103/S	Enclosure SS Double Door 1000x1000x300	55
DD12103/S	Enclosure SS Double Door 1200x1000x300	55
DD12124/S	Enclosure SS Double Door 1200x1200x400	55
DD16104/S	Enclosure SS Double Door 1600x1000x400	55
DD18104/S	Enclosure SS Double Door 1800x1000x400	55
DD20104/S	Enclosure SS Double Door 2000x1000x400	55
DD16124/S	Enclosure SS Double Door 1600x1200x400	55
DD18124/S	Enclosure SS Double Door 1800x1200x400	55
DD20124/S	Enclosure SS Double Door 2000x1200x400	55
DD18125/S	Enclosure SS Double Door 1800x1200x500	55
DD20125/S	Enclosure SS Double Door 2000x1200x500	55
DD10103/A	Enclosure Alum Double Door 1077x1077x302	55
DD12103/A	Enclosure Alum Double Door 1207x1077x302	55
DD12124/A	Enclosure Alum Double Door 1207x1207x402	55
DD16104/A	Enclosure Alum Double Door 1607x1077x402	55

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 9 of 25




Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031-1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's
Register

DD18104/A	Enclosure Alum Double Door 1807x1077x402	55
DD20104/A	Enclosure Alum Double Door 2077x1077x402	55
DD16124/A	Enclosure Alum Double Door 1607x1207x402	55
DD18124/A	Enclosure Alum Double Door 1807x1207x402	55
DD20124/A	Enclosure Alum Double Door 2077x1207x402	55
DD18125/A	Enclosure Alum Double Door 1807x1207x502	55
DD20125/A	Enclosure Alum Double Door 2077x1207x502	55

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 10 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Connector TE Enclosures
(powder coated zinc steel/316 grade stainless steel/stainless steel with mounting flange)

Model Number	Description	IP Rating
TE1108	Enclosure Termination 150x150x80	66
TE3112	Enclosure Termination 300x150x120	66
TE2212	Enclosure Termination 200x200x120	66
TE3212	Enclosure Termination 300x200x120	66
TE4212	Enclosure Termination 400x200x120	66
TE6212	Enclosure Termination 600x200x120	66
TE1108/S	Enclosure Termination 150x150x80 S/S	66
TE2212/S	Enclosure Termination 200x200x120 S/S	66
TE3112/S	Enclosure Termination 300x150x120 S/S	66
TE3212/S	Enclosure Termination 300x200x120 S/S	66
TE4212/S	Enclosure Termination 400x200x120 S/S	66
TE6212/S	Enclosure Termination 600x200x120 S/S	66
TE1108MF/S	Encl 150x150x80 S/S w/- Mounting Flange	66
TE2212MF/S	Encl 200x200x120 S/S w/- Mounting Flange	66
TE3112MF/S	Encl 300x150x120 S/S w/- Mounting Flange	66
TE3212MF/S	Encl 300x200x120 S/S w/- Mounting Flange	66
TE4212MF/S	Encl 400x200x120 S/S w/- Mounting Flange	66
TE6212MF/S	Encl 600x200x120 S/S w/- Mounting Flange	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 11 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR0311.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Incline SR Enclosures
(316 grade stainless or painted ripple orange)

Model Number	Description	IP Rating
SR03021/S	Incline SR Encl S/Steel 300x200x150	66
SR03042/S	Incline SR Encl S/Steel 300x400x200	66
SR04031/S	Incline SR Encl S/Steel 400x300x150	66
SR04042/S	Incline SR Encl S/Steel 400x400x200	66
SR04062/S	Incline SR Encl S/Steel 400x600x200	66
SR04063/S	Incline SR Encl S/Steel 400x600x300	66
SR06042/S	Incline SR Encl S/Steel 600x400x200	66
SR06063/S	Incline SR Encl S/Steel 600x600x300	66
SR08062/S	Incline SR Encl S/Steel 800x600x200	66
SR08063/S	Incline SR Encl S/Steel 800x600x300	66
SR10062/S	Incline SR Encl S/Steel 1000x600x200	66
SR03021/SRO	Incline SR/S Ptd X15 Ripple 300x200x150	66
SR03042/SRO	Incline SR/S Ptd X15 Ripple 300x400x200	66
SR04031/SRO	Incline SR/S Ptd X15 Ripple 400x300x150	66
SR04042/SRO	Incline SR/S Ptd X15 Ripple 400x400x200	66
SR04062/SRO	Incline SR/S Ptd X15 Ripple 400x600x200	66
SR04063/ SRO	Incline SR/S Ptd X15 Ripple 400x600x300	66
SR06042/ SRO	Incline SR/S Ptd X15 Ripple 600x400x200	66
SR06063/ SRO	Incline SR/S Ptd X15 Ripple 600x600x300	66
SR08063/ SRO	Incline SR/S Ptd X15 Ripple 800x600x300	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 12 of 25

  Lloyd's
Register
Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Pilbara SP Enclosures
(zinc steel, 316 grade stainless steel/316 grade stainless steel with ripple
orange powder coat)

Model Number	Description	IP Rating
SP070522	Pilbara Mining Encl 700x500x220mm	66
SP100822	Pilbara Mining Encl 1000x800x220mm	66
SP040425	Pilbara Mining Encl 400x400x250mm	66
SP070535	Pilbara Mining Encl 700x500x350mm	66
SP100840	Pilbara Mining Encl 1000x800x400mm	66
SP070522/S	Pilbara Mining Encl 700x500x220	66
SP100822/S	Pilbara Mining Encl 1000x800x220	66
SP040425/S	Pilbara S/Steel Mine Enc 400x400x250	66
SP070535/S	Pilbara S/Steel Mine Enc 700x500x350	66
SP100840/S	Pilbara S/Steel Mine Enc 1000x800x400	66
SP070522/SRO	Pilbara Encl 700x500x220 S/S R/Orange	66
SP100822/SRO	Pilbara Encl 1000x800x220 S/S R/Orange	66
SP040425/SRO	Pilbara Encl 400x400x250 S/S R/Orange	66
SP070535/SRO	Pilbara Encl 700x500x350 S/S R/Orange	66
SP100840/SRO	Pilbara Encl 1000x800x400 S/S R/Orange	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 13 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LRR01.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



BREX Enclosures
(316 grade stainless steel)

Model Number	Description	IP Rating
BREX-N030215	300x200x150 Flat NI Style SS	67
BREX-N030420	300x400x200 Flat NI Style SS	67
BREX-N040315	400x300x150 Flat NI Style SS	67
BREX-N040420	400x400x200 Flat NI Style SS	67
BREX-N040620	400x600x200 Flat NI Style SS	67
BREX-N040630	400x600x300 Flat NI Style SS	67
BREX-N050420	500x400x200 Flat NI Style SS	67
BREX-N060420	600x400x200 Flat NI Style SS	67
BREX-N060630	600x600x300 Flat NI Style SS	67
BREX-N080620	800x600x200 Flat NI Style SS	67
BREX-N080630	800x600x300 Flat NI Style SS	67
BREX-N100620	1000x600x200 Flat NI Style SS	67
BREX-N120830	1200x800x300 Flat NI Style SS	67
BREX-N030215/G0	300x200x150 Flat NI Style SS No G/Plate	67
BREX-N030420/G0	300x400x200 Flat NI Style SS No G/Plate	67
BREX-N040315/G0	400x300x150 Flat NI Style SS No G/Plate	67
BREX-N040420/G0	400x400x200 Flat NI Style SS No G/Plate	67
BREX-N040620/G0	400x600x200 Flat NI Style SS No G/Plate	67
BREX-N040630/G0	400x600x300 Flat NI Style SS No G/Plate	67
BREX-N050420/G0	500x400x200 Flat NI Style SS No G/Plate	67
BREX-N060420/G0	600x400x200 Flat NI Style SS No G/Plate	67
BREX-N060630/G0	600x600x300 Flat NI Style SS No G/Plate	67

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 14 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



BREX-N080620/G0	800x600x200 Flat NI Style SS No G/Plate	67
BREX-N080630/G0	800x600x300 Flat NI Style SS No G/Plate	67
BREX-N100620/G0	1000x600x200 Flat NI Style SS No G/Plate	67
BREX-N120830/G0	1200x800x300 Flat NI Style SS No G/Plate	67
BREX-N030215/G3	300x200x150 Flat NI Style SS 3 G/Plate	67
BREX-N030420/G3	300x400x200 Flat NI Style SS 3 G/Plate	67
BREX-N040315/G3	400x300x150 Flat NI Style SS 3 G/Plate	67
BREX-N040420/G3	400x400x200 Flat NI Style SS 3 G/Plate	67
BREX-N040620/G3	400x600x200 Flat NI Style SS 3 G/Plate	67
BREX-N040630/G3	400x600x300 Flat NI Style SS 3 G/Plate	67
BREX-N050420/G3	500x400x200 Flat NI Style SS 3 G/Plate	67
BREX-N060420/G3	600x400x200 Flat NI Style SS 3 G/Plate	67
BREX-N060630/G3	600x600x300 Flat NI Style SS 3 G/Plate	67
BREX-N080620/G3	800x600x200 Flat NI Style SS 3 G/Plate	67
BREX-N080630/G3	800x600x300 Flat NI Style SS 3 G/Plate	67
BREX-N100620/G3	1000x600x200 Flat NI Style SS 3 G/Plate	67
BREX-N120830/G3	1200x800x300 Flat NI Style SS 3 G/Plate	67
BREX-S030215	300x200x150 Sloping Roof SS	67
BREX-S030420	300x400x250 Sloping Roof SS	67
BREX-S040315	400x300x150 Sloping Roof SS	67

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 15 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Lloyd's
Register

BREX-S040420	400x400x200 Sloping Roof SS	67
BREX-S040620	400x600x200 Sloping Roof SS	67
BREX-S040630	400x600x300 Sloping Roof SS	67
BREX-S050420	500x400x200 Sloping Roof SS	67
BREX-S060420	600x400x200 Sloping Roof SS	67
BREX-S060630	600x600x300 Sloping Roof SS	67
BREX-S080620	800x600x200 Sloping Roof SS	67
BREX-S080630	800x600x300 Sloping Roof SS	67
BREX-S100620	1000x600x200 Sloping Roof SS	67
BREX-S120830	1200x800x300 Sloping Roof SS	67
BREX-T010108	150x150x80 Flat TE Style SS	66
BREX-T020212	200x200x120 Flat TE Style SS	66
BREX-T030212	300x200x120 Flat TE Style SS	66
BREX-T040212	400x200x120 Flat TE Style SS	66
BREX-T060212	600x200x120 Flat TE Style SS	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 16 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031-1.2015.12



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



ME Enclosures
(powder coated zinc steel)

Model Number	Description	IP Rating
ME06043	Miner Encl 600x400x300mm	66
ME06063	Miner Encl 600x600x300mm	66
ME08063	Miner Encl 800x600x300mm	66
ME08083	Miner Encl 800x800x300mm	66
ME10083	Miner Encl 1000x800x300mm	66
ME10103	Miner Encl 1000x1000x300mm	66
ME12083	Miner Encl 1200x 800x300mm	66
ME06043/RO	Miner Encl 600x 400x300mm Ripple Orange	66
ME06063/RO	Miner Encl 600x 600x300mm Ripple Orange	66
ME08063/RO	Miner Encl 800x 600x300mm Ripple Orange	66
ME08083/RO	Miner Encl 800x 800x300mm Ripple Orange	66
ME10083/RO	Miner Encl 1000x 800x300mm Ripple Orange	66
ME10103/RO	Miner Encl 1000x1000x300mm Ripple Orange	66
ME12083/RO	Miner Encl 1200x 800x300mm Ripple Orange	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 17 of 25


 Lloyd's
Register
Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR001.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Field FC Enclosures
(powder coated zinc steel, 316 grade stainless steel or aluminium)

Model Number	Description	IP Rating
FC130706	Field Cabinet 1375x755x620	66
FC160706	Field Cabinet 1675x755x620	66
FC190706	Field Cabinet 1975x755x620	66
FC220706	Field Cabinet 2275x755x620	66
FC130706/S	Field Cabinet 1375x755x620 S/S	66
FC160706/S	Field Cabinet 1675x755x620 S/S	66
FC190706/S	Field Cabinet 1975x755x620 S/S	66
FC220706/S	Field Cabinet 2275x755x620 S/S	66
FC130706/A	Field Cabinet 1375x755x620 Alum	66
FC160706/A	Field Cabinet 1675x755x620 Alum	66
FC190706/A	Field Cabinet 1975x755x620 Alum	66
FC220706/A	Field Cabinet 2275x755x620 Alum	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 18 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Bowen BN Enclosures
(316 grade stainless steel)

Model Number	Description	IP Rating
BL120830/S	Bowen BL 1200x800x300 S/S	66
BL080630/S	Bowen BL 800x600x300 S/S	66
BL060630/S	Bowen BL 600x600x300 S/S	66
BL060420/S	Bowen BL 600x400x200 S/S	66
BL040420/S	Bowen BL 400x400x200 S/S	66
BL040315/S	Bowen BL 400x300x150 S/S	66
BW120830/S	Bowen BW 1200x800x300 S/S	66
BW080630/S	Bowen BW 800x600x300 S/S	66
BW060630/S	Bowen BW 600x600x300 S/S	66
BW060420/S	Bowen BW 600x400x200 S/S	66
BW040420/S	Bowen BW 400x400x200 S/S	66
BW040315/S	Bowen BW 400x300x150 S/S	66
BM120830/S	Bowen BM 1200x800x300 S/S	66
BM080630/S	Bowen BM 800x600x300 S/S	66
BM060630/S	Bowen BM 600x600x300 S/S	66
BM060420/S	Bowen BM 600x400x200 S/S	66
BM040420/S	Bowen BM 400x400x200 S/S	66
BM040315/S	Bowen BM 400x300x150 S/S	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 19 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR001.1.2015.12



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Lloyd's
Register

Lambert LB Enclosure
(316 grade stainless steel)

Model Number	Description	IP Rating
LB100840/S	Lambert Encl 1293x 800x415-5	66
LB101040/S	Lambert Encl 1293x1000x415-5	66
Double Doors	Lambert Encl 1293x1400x415-5	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 20 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031-1-2015-12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Ausrack IP Enclosure
(powder coated zinc steel, 316 grade stainless steel or aluminium)

Model Number	Description	IP Rating
ARIP11U64	Ausrack IP Encl 600x600x400mm	66
ARIP15U64	Ausrack IP Encl 800x600x400mm	66
ARIP15U65	Ausrack IP Encl 800x600x500mm	66
ARIP15U66	Ausrack IP Encl 800x600x600mm	66
ARIP24U64	Ausrack IP Encl 1200x600x400mm	66
ARIP24U65	Ausrack IP Encl 1200x600x500mm	66
ARIP24U66	Ausrack IP Encl 1200x600x600mm	66
ARIP32U66	Ausrack IP Encl 1600x600x600mm	66
ARIP38U65	Ausrack IP Encl 1800x600x500mm	66
ARIP42U65	Ausrack IP Encl 2000x600x500mm	66
ARIP42U66	Ausrack IP Encl 2000x600x600mm	66
ARIP11U64/S	Ausrack IP S/S Encl 600x600x400mm	66
ARIP15U64/S	Ausrack IP S/S Encl 800x600x400mm	66
ARIP15U65/S	Ausrack IP S/S Encl 800x600x500mm	66
ARIP15U66/S	Ausrack IP S/S Encl 800x600x600mm	66
ARIP24U64/S	Ausrack IP S/S Encl 1200x600x400mm	66
ARIP24U65/S	Ausrack IP S/S Encl 1200x600x500mm	66
ARIP24U66/S	Ausrack IP S/S Encl 1200x600x600mm	66
ARIP32U66/S	Ausrack IP S/S Encl 1600x600x600mm	66
ARIP38U65/S	Ausrack IP S/S Encl 1800x600x500mm	66
ARIP42U65/S	Ausrack IP S/S Encl 2000x600x500mm	66
ARIP42U66/S	Ausrack IP S/S Encl 2000x600x600mm	66
ARIP11U64/A	Ausrack IP Alum Encl 607x607x402mm	66
ARIP15U64/A	Ausrack IP Alum Encl 807x607x402mm	66
ARIP15U65/A	Ausrack IP Alum Encl 807x607x502mm	66
ARIP15U66/A	Ausrack IP Alum Encl 807x607x602mm	66
ARIP24U64/A	Ausrack IP Alum Encl 1207x607x402mm	66
ARIP24U65/A	Ausrack IP Alum Encl 1207x607x502mm	66
ARIP24U66/A	Ausrack IP Alum Encl 1207x607x602mm	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 21 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12

S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's
Register

ARIP32U66/A	Ausrack IP Alum Encl 1607X607X602mm	66
ARIP38U65/A	Ausrack IP Alum Encl 1807X607X502mm	66
ARIP42U65/A	Ausrack IP Alum Encl 2007X607X502mm	66
ARIP42U66/A	Ausrack IP Alum Encl 2007X607X602mm	66

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 22 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR031.1.2015.12



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



iLINQ Enclosure
(powder coated zinc steel, galvanised coated frame)

iLINQ Single Door

Model Number	Dimensions (mm) H x W x D	Usable Depth (mm)	IP Rating
LQE180404	1804x400x408	310	55
LQE180604	1804x600x408	310	55
LQE180804	1804x800x408	310	55
LQE180406	1804x400x608	510	55
LQE180606	1804x600x608	510	55
LQE180806	1804x800x608	510	55
LQE180408	1804x400x808	710	55
LQE180608	1804x600x808	710	55
LQE180808	1804x800x808	710	55
LQE200404	2004x400x408	310	55
LQE200604	2004x600x408	310	55
LQE200804	2004x800x408	310	55
LQE200406	2004x400x608	510	55
LQE200606	2004x600x608	510	55
LQE200806	2004x800x608	510	55
LQE200408	2004x400x808	710	55
LQE200608	2004x600x808	610	55
LQE200808	2004x800x808	710	55
LQE220404	2204x400x408	310	55
LQE220604	2204x600x408	310	55
LQE220804	2204x800x408	310	55
LQE220406	2204x400x608	510	55
LQE220606	2204x600x608	510	55
LQE220806	2204x800x608	510	55
LQE220408	2204x400x808	710	55
LQE220608	2204x600x808	710	55
LQE220808	2204x800x808	710	55

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 23 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



iLINQ Double Door

Model Number	Dimensions (mm) H x W x D	Usable Depth (mm)	IP Rating
LQE180804/DD	1804x 800x408	310	55
LQE181004/DD	1804x1000x408	310	55
LQE181204/DD	1804x1200x408	310	55
LQE180806/DD	1804/ 800x608	510	55
LQE181006/DD	1804x1000x608	510	55
LQE181206/DD	1804x1200x608	510	55
LQE180808/DD	1804x 800x808	710	55
LQE181008/DD	1804x1000x808	710	55
LQE181208/DD	1804x1200x808	710	55
LQE200804/DD	2004x 800x408	310	55
LQE201004/DD	2004x1000x408	310	55
LQE201204/DD	2004x1200x408	310	55
LQE200806/DD	2004x 800x608	510	55
LQE201006/DD	2004x1000x608	510	55
LQE201206/DD	2004x1200x608	510	55
LQE200808/DD	2004x 800x808	710	55
LQE201008/DD	2004x1000x808	710	55
LQE201208/DD	2004x1200x808	710	55
LQE220804/DD	2204x 800x408	310	55
LQE221004/DD	2204/1000x408	310	55
LQE221204/DD	2204x1200x408	310	55
LQE220806/DD	2204x 800x608	510	55
LQE221006/DD	2204x1000x608	510	55
LQE221206/DD	2204x1200x608	510	55
LQE220808/DD	2204x 800x808	710	55
LQE221008/DD	2204x1000x808	710	55
LQE221208/DD	2204x1200x808	710	55

Certificate No. 06/10007(E2)

Issue Date 14 April 2016

Expiry Date 13 April 2021

Sheet 24 of 25



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS



Lloyd's
Register

"This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register Group Limited of any modification or changes to the equipment in order to obtain a valid certificate."

The attached Design Appraisal Document No. 06/10007(E2) and its supplementary Type Approval Terms and Conditions form part of this Certificate.

All other details remain as the previous Certificate No. 06/10007(E1) to which this extension should be attached.

Certificate No.	06/10007(E2)
Issue Date	14 April 2016
Expiry Date	13 April 2021
Sheet	25 of 25


Sachie Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited
LR021.1.2015.12



S. Fujii
Yokohama Technical Support Office
Lloyd's Register Group Limited

Lloyd's Register Group Limited
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.