

Horizon S Series

Residential metering enclosures for SA applications



- Designed for both single and multi-phase installations.
- AS/NZS 3012 compliant for construction sites as standard.
- Provides safety, quality and performance.
- Suitable for domestic and light commercial metering applications.
- Easy-to-use gravity catch.
- Top cable entry has ratchet aperture shut-off slide.
- RotaDIN rotating / removable DIN section.
- Cord retainer for easy retention of extension cords.
- Circuit identification label area with protective cover.
- Weatherproof installation label for AS/NZS3000 compliance.
- Padlockable facility.
- External frame mounting brackets.
- To suit type 1 and type 2 meter panel.
- Region D wind rated to AS1170.2-2002: Structural design actions – Wind actions.
- Manufactured from 1.0 galvanised steel or 316 stainless steel.
- Powdercoated Light Grey RAL7035 or N4 surface finish.



S10

ORDERING GUIDE

Part Number	DIN space	Inclusions			Dimensions (mm)			Panel (mm)		
		MCB	Lock off	Meter Neutral Link	Height	Width	Depth	Height	Width	Depth Behind
S10	24-pole	63A	•	•	690	485	278	350	365	75
S10/S	24-pole	63A	•	•	690	485	278	350	365	75
S20	24-pole	63A	•	•	860	485	278	590	365	75

ORDERING GUIDE – COMBINED SERVICES

Part Number	DIN space	Enclosures		Inclusions		Metal pan	Dimensions (mm)			Panel (mm)		
		S10	HZN/COM1^	Meter Isolator	Panel Type 1		Height	Width	Depth	Height	Width	Depth Behind
S82*	24-pole	•	•	•	Type 1	•	1120	485	278	350	365	75

* Electrical and Communications.

^ For more information on the S10 enclosures see table above. For more information on the HZN/COM1 enclosures see page 11.

Horizon S Series

Residential metering enclosures for SA applications



ACCESSORIES

Part Number	Product	Description	S10	S10/S	S20	S82
HZN/PLINTH	Plinth - Zinc Coated Steel	Designed to mate under a standard meter box. Plinth dimension: 690Hx485Wx240D	•		•	
HZN/PLINTH/S▲	Plinth - Stainless Steel	Compliant to region C wind load according to AS/NZS1170.2		•		
HZN/ROOF	Roof	For use in exposed weather applications	•		•	
CL	Lock	Coin lock (supplied with 2 keys, SAPN master key "series 97000")	•	•	•	•
HZN/FK8	Flush kit	For flush mounting	•			
S20/3TKIT	Conversion Kit	Converts the S20 up to 3 tenancies			•	

▲ Available on request.



S10/S



S20

AUSTRALIA

Sales

T: 1300 Enclosures (1300 362 567)
E: sales@brenclosures.com.au
brenclosures.com.au

QUEENSLAND

Brisbane Manufacturing, Sales & Warehouse
51 Stradbroke Street
Heathwood QLD 4110
(PO Box 1151)
Browns Plains BC QLD 4118
T: +61 7 3714 1111
E: salesqld@brenclosures.com.au

NORTH QUEENSLAND

Townsville Sales & Warehouse
Unit 4/ 780 Ingham Road
Mount Louisa, QLD 4814
(PO Box 7615)
Garbutt QLD 4814
T: +61 7 4727 1900
E: salestvl@brenclosures.com.au

NEW SOUTH WALES

NSW & ACT Sales & Warehouse
7 Metters Place
Wetherill Park NSW 2164
T: +61 2 9915 9555
E: salesnsw@brenclosures.com.au

NEWCASTLE Distribution

Ross Joice Agencies Pty Ltd
109-111 Broadmeadow Road
Broadmeadow NSW 2292
T: +61 2 4961 4433

VICTORIA

VIC & TAS Sales & Warehouse
50-52 Sunmore Close
Heatheron VIC 3202
T: +61 3 9552 0552
E: salesvic@brenclosures.com.au

TASMANIA Distribution

W P Martin Pty Ltd
85 Elizabeth Street
Launceston TAS 7250
T: +61 3 6331 5545

SOUTH AUSTRALIA

SA & NT Manufacturing, Sales & Warehouse
505 Grand Junction Road
Wingfield SA 5013
T: +61 8 8417 6222
E: salessa@brenclosures.com.au

NORTHERN TERRITORY Distribution

Jewell Distributors Pty Ltd
Cnr Hidden Valley & Beaton Roads
Berrimah NT 0828
T: +61 8 8947 0870

WESTERN AUSTRALIA

WA Sales Office & Warehouse
6 Montgomery Way
Malaga WA 6090
T: +61 8 6310 4777
E: saleswa@brenclosures.com.au

NEW ZEALAND

Sales

B&R Enclosures Limited
T: 0800 Enclosures (0800 362 567)
E: sales@brenclosures.co.nz
brenclosures.co.nz

AUCKLAND Distribution

Matchmaster
Unit 6103 Cryers Road
East Tamaki Auckland NZ 2013
T: +64 9 265 2097
E: sales@brenclosures.co.nz

CHRISTCHURCH Distribution

Matchmaster
17 Washbournes Road
Wigram Christchurch NZ 8042
T: +64 3 348 0659
E: sales@brenclosures.co.nz