



**B&R Enclosures
INCLINE SR**

brenclosures.com.au

Incline SR

Mining and Industrial Enclosures



- Designed for rugged industrial applications including local control stations, mini control consoles or motor isolators.
- Suitable for mine sites and sugar mills.
- 30° sloping roof and 20mm overhang to prevent build up of solids.
- Specially designed gutter system.
- Conformity, Approvals:
Lloyds Register #06/10007 (E2)
- Region D wind rated to AS1170.2-2002: Structural design actions - Wind actions
- Manufactured from 1.5mm 316 stainless steel.
- N4 surface finish or powdercoated X15 orange.

Comes standard with:

- 2mm steel mounting pan powdercoated white
- Stainless steel gland plate
- Mounting flanges top & bottom
- Stainless steel lock with 7mm square stainless steel insert (NI020/S)
- Door rails
- Earth strap kit



ORDERING GUIDE

Part Number		Dimensions (mm)												
		External				Internal	Mounting Pan		Gland Opening		Mounting Centres		Weight (kg)	No. of Locks
		Height (A)	Width (B)	Depth (C)	Total Height (D)**	Usable Depth*(E)	Height (F)	Width (G)	Width (H)	Depth (I)	Height (J)	Width (K)		
Standard	X15 Orange													
SR03021/S	SR03021/SRO^	300	200	150	507	140	250	150	175	70	477	100	5.5	1
SR04031/S	SR04031/SRO^	400	300	150	607	140	350	250	175	70	577	200	9	1
SR03042/S■	SR03042/SRO^	300	400	200	536	190	250	350	250	120	506	300	10	1
SR04042/S■	SR04042/SRO^	400	400	200	636	190	350	350	250	120	606	300	13	1
SR06042/S■	SR06042/SRO^	600	400	200	836	190	550	350	250	120	806	300	17	2
SR04062/S■	SR04062/SRO^	400	600	200	636	190	350	550	440	120	606	500	18	1
SR08062/S■	SR08062/SRO^	800	600	200	1036	190	750	550	440	120	1006	500	31	2
SR10062/S■	SR10062/SRO^	1000	600	200	1236	190	950	550	440	120	1206	500	37	2
SR04063/S■	SR04063/SRO^	400	600	300	694	290	350	550	440	120	663	500	21	1
SR06063/S■	SR06063/SRO^	600	600	300	894	290	550	550	440	120	863	500	28	2
SR08063/S^	SR08063/SRO^	800	600	300	1094	290	750	550	440	120	1063	500	35	2

- ^ Available on request
 * Mounting pan to inside of door
 ** Includes from bottom of enclosures to top mounting flange
 ■ Includes vertical door rails
 ^ Includes horizontal and vertical door rails


ACCESSORIES

Product	Description	Part Number	Dimensions (mm)			SR03021/S (/SRO)	SR04031/S (/SRO)	SR03042/S (/SRO)	SR04042/S (/SRO)	SR06042/S (/SRO)	SR04062/S (/SRO)	SR08062/S (/SRO)	SR10062/S (/SRO)	SR04063/S (/SRO)	SR06063/S (/SRO)	SR08063/S (/SRO)
			Height	Width	Thickness											
Mounting pan	Insulated	SRIMP032	250	150	6	•										
		SRIMP034	250	350	6		•	•								
		SRIMP044	350	350	6				•							
		SRIMP046 [▲]	350	550	6						•			•		
		SRIMP064	550	350	6					•						
		SRIMP066	550	550	6										•	
		SRIMP086 [▲]	750	550	6							•				•
		SRIMP106 [▲]	950	550	6								•			
Gland plate	Brass	SRBGP3/1	195	100	3	•	•									
		SRBGP3/2	290	160	3			•	•	•						
		SRBGP3/3	480	160	3						•	•	•	•	•	•
		SRBGP6/1	195	100	6	•	•									
		SRBGP6/2	290	160	6			•	•	•						
		SRBGP6/3	480	160	6						•	•	•	•	•	•
	316 stainless steel	SRS GP/1	195	100	1.5	•	•									
		SRS GP/2 [▲]	290	160	1.5			•	•	•						
		SRS GP/3 [▲]	480	160	1.5						•	•	•	•	•	•
	Aluminium	SRAGP6/1	195	100	6	•	•									
		SRAGP6/2	290	160	6			•	•	•						
		SRAGP6/3	480	160	6						•	•	•	•	•	•
External vent kit	316 stainless steel	IPVK/S	130	130	—	•	•	•	•	•	•	•	•	•	•	•
		IPVK/SRO [▲]	130	130	—	•	•	•	•	•	•	•	•	•	•	•
		IPVK16/S [▲]	260	260	—	▲	▲	▲	▲	▲	▲	▲	▲	•	•	•
		IPVK16/SRO [▲]	260	260	—	▲	▲	▲	▲	▲	▲	▲	▲	•	•	•
Replacement hinge	Kit	NI/H	—	—	—	•	•	•	•	•	•	•	•	•	•	•
Touch up paint (150g)	X15 Orange	TUP/P24	—	—	—	•	•	•	•	•	•	•	•	•	•	•

[▲] Fits door only

[▲] Available on request

TECHNICAL DRAWING



Locks

Locks to suit special purpose enclosures

Standard Locks



Enclosure		
Universal DD ≤1600mm	DD020 – chromed steel with 7mm square steel insert	DD020/PS – black powdercoated lock with 7mm square stainless steel insert
Universal DD +1600mm	DD050 – lockable L handle keyed 92268	DD050 – lockable L handle keyed 92268
Incline SR	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Hedland PH	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Finucane FI	–	NI020/S – stainless steel lock with 7mm square stainless steel insert
Bowen Series	–	NI028S/S – stainless steel lock with 8mm square slotted stainless steel insert
Pilbara SP	SP/LCK – chromed steel padlockable swing handle	SP/LCK/S – stainless steel padlockable swing handle
Lambert LB	–	SP/LCK/S – stainless steel padlockable swing handle
Miner ME	NI020 – chromed steel with 7mm square steel insert	–

Lock Options for Special Purpose Enclosures

There are a number of lock options available that are suitable for use on special purpose enclosures. Contact your local sales representative to discuss your requirements.

Product	Description	Part Number	Standard Lock/Insert	Alternative insert	Key	
					Lockable handles	Aluminium, 4-way
Turnbuckle	chromed steel	NI020	7mm square – steel	See page 5		SKZ
		DD020	7mm square – steel	See page 5		SKZ
	powdercoated	NI020/PS	7mm square – stainless steel	See page 5		SKZ
		DD020/PS	7mm square – stainless steel	See page 5		SKZ
	stainless steel	NI020/S	7mm square – stainless steel	See page 5		SKZ
		NI028S/S	8mm square slotted – stainless steel	See page 5		
Wing knob	lockable	NI030	Key code 92268		SK3	
		DD030	Key code 92268		SK3	
	non-lockable	NI111	–			
		DD111	–			
T-handle	lockable	NI040	Key code 92268		SK3	
		DD040	Key code 92268		SK3	
L-handle	lockable	NI050	Key code 92268		SK3	
		DD050	Key code 92268		SK3	
	padlockable – steel	NI052	–			
		DD052	–			
	padlockable – stainless steel	NI052/S	–			
		DD052/S	–			
Swing handle	padlockable – steel	SP/LCK	–			
	padlockable – stainless steel	SP/LCK/S	–			
LockSock®	plastic	SP/LCK/DC	To suit SP/LCK			
Dust cap	plastic	NI020/DC	To suit NI020 lock			

Locks

Locks to suit special purpose enclosures



Lock Inserts for Locks

The NI020 locks are available with an option lock insert for use on all special purpose enclosures. Contact your local sales engineer to discuss your requirements.

To suit lock style	Description	To suit lock	Standard Insert	3mm double bit pin		8mm square		8mm square slotted		8mm triangle	
				Steel	Stainless Steel	Steel	Stainless Steel	Stainless Steel	Stainless Steel	Steel	Stainless Steel
Turnbuckle	chromed steel	NI020 or DD020	7mm square – steel	LKINS3P		LKINS8S		LKINS8SS/S		LKIN8T	
	powdercoated with SS insert	NI020/PS or DD020/PS	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S		LKINS8T/S	
	stainless steel	NI020/S or DD020/PS	7mm square – stainless steel		LKINS3P/S		LKINS8S/S	LKINS8SS/S		LKINS8T/S	
Key required – aluminium			SKZ	SKZ	SKZ	SK8	SK8	SK8		SKZ	SKZ

AUSTRALIA

Sales

T: 1300 Enclosures (1300 362 567)
E: sales@brenclosures.com.au
brenclosures.com.au

QUEENSLAND

Brisbane Manufacturing, Sales & Warehouse
51 Stradbroke Street
Heathwood QLD 4110
(PO Box 1151)
Browns Plains BC QLD 4118
T: +61 7 3714 1111
E: salesqld@brenclosures.com.au

NORTH QUEENSLAND

Townsville Sales & Warehouse
Unit 4 / 780 Ingham Road
Mount Louisa QLD 4814
(PO Box 7615)
Garbutt QLD 4814
T: +61 7 4727 1900
E: salestvl@brenclosures.com.au

NEW SOUTH WALES

NSW & ACT Sales & Warehouse
7 Metters Place Wetherill Park
NSW 2164
T: +61 2 9915 9555
E: salesnsw@brenclosures.com.au

NEWCASTLE Distribution

109-111 Broadmeadow Road
Broadmeadow NSW 2292
T: +61 2 4961 4433

VICTORIA

VIC & TAS Sales & Warehouse
50-52 Sunmore Close
Heatherston VIC 3202
T: +61 3 9552 0552
E: salesvic@brenclosures.com.au

TASMANIA Distribution

W P Martin Pty Ltd
85 Elizabeth Street
Launceston TAS 7250
T: +61 3 6331 5545

SOUTH AUSTRALIA

SA & NT Manufacturing, Sales & Warehouse
505 Grand Junction Road
Wingfield SA 5013
T: +61 8 8417 6222
E: salessa@brenclosures.com.au

NORTHERN TERRITORY Distribution

Cnr Hidden Valley & Beaton Roads
Berrimah NT 0828
T: +61 8 8947 0870

WESTERN AUSTRALIA

WA Sales Office & Warehouse
6 Montgomery Way
Malaga WA 6090
T: +61 8 6310 4777
E: saleswa@brenclosures.com.au

NEW ZEALAND

Sales

B&R Enclosures Limited
T: 0800 Enclosures (0800 362 567)
E: sales@brenclosures.co.nz
brenclosures.co.nz

AUCKLAND Distribution

Unit 6/103 Cryers Road
East Tamaki Auckland NZ 2013
T: +64 9 265 2097
E: sales@brenclosures.co.nz

CHRISTCHURCH Distribution

17 Washbournes Road
Wigram Christchurch NZ 8042
T: +64 3 348 0659
E: sales@brenclosures.co.nz

CHINA

Sales

B&R Enclosures (Suzhou) Co. Ltd
E: sales@brenclosures.com.cn
brenclosures.cn

SUZHOU

Suzhou Sales Office & Manufacturing
Building 45 Chuangtou Industrial Zone
SIP, Suzhou 215122
PEOPLE'S REPUBLIC OF CHINA
T: +86 512 8718 2139
E: sales@brenclosures.com.cn

MIDDLE EAST

Sales

B&R Gulf
M: +966 503 496 592
T: +966 381 2869 1 or +966 5034 9659 2
E: sales@brgulf.com.sa
brgulf.com

DAMMAM Manufacturing, Sales & Warehouse

B&R Gulf
Factory No. 12, Modon Buildings,
King Salman Road, Industrial Area 3,
Dammam, Saudi Arabia
M: +966 503 496 592
T: +966 381 2869 1 or +966 5034 9659 2
E: sales@brgulf.com.sa
brgulf.com